INDEX

What is HSCT?5	
Your treatment at5 Clínica Ruiz	
Treatment method7	
Statistics & facts7	
Treatment timeline8	
Why / how it works?	
Inclusion criteria15	
Requirements	
Treatment includes	





WHAT IS HSCT?

Hematopoietic Stem Cell Transplantation (HSCT) is an established chemotherapy medical treatment demonstrated to be effective to halt disease progression in neurologic autoimmune diseases such as Multiple Sclerosis (MS), Chronic Inflammatory Demyelinating Polyneuropathy (CIDP), Transverse Myelitis (TM) and Neuromyelitis Optica (NMO), all of which are treated at Clínica Ruiz.

YOUR TREATMENT AT CLÍNICA RUIZ

You will receive world class medical attention with an innovative method that is internationally recognized. Through an outpatient based treatment program designed to provide maximum patient treatment safety, patients receive the best world class medical care at Clínica Ruiz. In addition, lodging and ground transportation are included to enhance convenience and comfort during your treatment stay.



REGAIN CONTROL OF YOUR LIFE

TREATMENT METHOD

STATISTICS AND FACTS

We are the largest patient volume autoimmune disease HSCT treatment center in the world. Doctor Ruiz Argüelles and Doctor Gómez-Almaguer have performed more than 2500 HSCT procedures during more than 20 years for hematological and autoimmune diseases, out of which over 600 have been for MS. Our transplant related mortality is 0.16%, among the safest treatment records in the world. Positive results have been achieved in over 80% of patients transplanted at Clínica Ruiz, which includes both relapsing and progressive patients. The "Mexican method" to autograft MS patients employs high dose Cyclophosphamide and Rituximab as conditioning agents to eliminate autoreactive cells of the immune system responsible for damaging autoimmune disease. This treatment approach is a safe & tolerable, yet highly effective non-myeloablative chemotherapy regimen that has been shown to be highly effective to halt underlying autoimmune disease activity & progression. Serious treatment complications are rare, with fewer than 2% of patients requiring hospitalization.

TREATMENT TIMELINE

Extensive medical tests include review of patient MRI's (brain, cervical, thoracic and lumbar spine), chest X-ray, blood panel, electrocardiogram and spirometry. Consultation with neurologist, cardiologist and hematologist. Medical history.

> MEDICAL PRE-TESTING DAY -13

To further mobilize stem cells from the bone marrow into the blood stream, subcutaneous filgrastim injections are given every 12 hours during a eight day period.

STEM CELL MOBILIZATION DAY -10 TO DAY -4


CHEMOTHERAPY DAY -12 & DAY -11

Two days of initial chemotherapy are administered to condition the immune system, eliminate autoreactive cells responsible for autoimmunity and to begin to mobilize stem cells into the blood stream.

STEM CELL HARVEST DAY -3

WEEK 1

Catheter placement, if necessary, takes place during an ambulatory outpatient procedure at the hospital. An apheresis stem cell collection procedure is conducted, whereby using an automated cell separator, stem cells required for the transplant are collected and stored at a controlled temperature. Once sufficient stem cells have been harvested, two additional of high dose days chemotherapy are administered to further reduce white blood cells and suppress the majority of the existing immune system responsible for autoimmunity.



recovery.

After the transplant, patients enter a period of minimum

immune function called neutropenia. This varies from

patient to patient, but usually appears between 48 and

72 hours after the transplant, and will last approximately

seven to ten days. During this period, neutrophils, which

are a type of white blood cell responsible for fighting infections

are low. Diet and exposure are highly controlled, patients

should follow the neutopenic recommendations provided.

Upon recovery a rituximab infusion

is given in order to deplete any

remaining lymphocytes. At this








WHY/HOW IT WORKS?

All immune cells in the body originate from a common progenitor, known as a hematopoietic stem cell (HSC) found in the bone marrow. As the HSC divides, it gives rise to a wide diversity of immune cell repertoire that all serve specific immune functions. The immune cells eliminated from the body are eventually replaced with new immune cells created in the bone marrow, and these new cells do not have the corrupted memory that causes the neurologic attack of autoimmune disease, thereby halting the underlying disease activity.

Many of these immune cells, known as lymphocytes, are capable of recognizing and defending against foreign pathogens that enter the body. For an, as yet, unknown reason, some of the lymphocyte immune cells develop a corrupted memory in which they become self intolerant and attack & damage the nervous tissue of the body. This is the fundamental mechanism that underlies autoimmune disease, and using chemotherapy to eliminate these self intolerant auto-toxic lymphoytes is the key to also halting the underlying autoimmune disease. (*Figure 1*)



// TIME IS MYELIN //





Figure 2

In the same manner as normal cells divide, so does the mutant auto-toxic cell clone, giving rise to a large population of autoreactive cells that, in the case of neurologic autoimmune diseases, mediate damage of the myelin normal structure. This damage is the origin of all symptoms and signs associated to MS, NMO, CIDP and TM. (*Figure 2*)

What we will do to treat your condition in Clínica Ruiz, is remove auto-toxic immune cells from your system using both pharmacological as well as biotechnological drugs, followed by reinfusion of healthy precursor hematopoietic stem cells, known as the autograft, to begin producing new immune cells that will not attack the nervous tissue of the body.

In an early step of the treatment process, we will mobilize hematopoietic stem cells to your peripheral blood, and then harvest them by means of apheresis; a non-surgical procedure similar to dialysis where a patient's blood is passed through a filtering machine by IV. Most patients can collect enough stem cells in a single sitting, but occasionally more than a single day may be required for the apheresis procedure.

These un-manipulated collected stem cells will be stored under very strict conditions in a standard blood bank refrigerator, where they remain healthy and viable until later being returned to the patient following chemotherapy. (*Figure 3*)





After your stem cells have been collected, chemotherapy is administered to further eliminate immune cells responsible for the underlying autoimmune disease.


Since drugs cannot selectively destroy auto-toxic immune cells, the only way to assure their removal is by wiping out all forms of dividing immune cells. This is why you will experience a temporary transient immunodeficiency during which you will have to undertake special precautions to avoid and prevent infection. This is temporary time period, which lasts 7-10 days, is known as neutropenia. (Figure 4)

When the cleaning of the immune cells is completed, your hematopoietic stem cell autograft will be retrieved from storage and infused back into your bloodstream. (Figure 5) Stem cells have the ability to naturally "home" into your bone marrow and start dividing again in a

healthy manner to repopulate your system with new immune cells. This is known as engraftment.

After a period of time your immune system will be restored with healthy cells, and devoid of auto-toxic cells. Additional immunotherapy specifically directed to mature B cells will be used in the event that a few autoantibody producing cells might have been stored and re-infused along with the stem cell autograft.

The aim of the entire HSCT treatment process is to stop the immune system from causing damage of the myelin so that proper electrical conduction within the nervous system is restored. In addition to the halting of the underlying autoimmune disease, the reinstatement of appropriate healthy signaling from nerves to muscles often results in clinical and symptomatic improvement.






Figure 4

INCLUSION CRITERIA

• Patients with a confirmed positive diagnosis of the following autoimmune disorders are eligible for HSCT treatment:	~	 Patients in the range of EDSS 7.0-8.0 will be considered for transplantation based upon a pre-acceptance clinic doctor evaluation / assessment via video call. 	~
 Multiple Sclerosis (MS): RRMS, SPMS and PPMS Chronic Inflammatory Demyelinating Polyneuropathy (CIDP) Transverse Myelitis (TM) Neuro Myelitis Optica (NMO / Devic's desease) Ankylosing Spondylitis (AS) Sjögren Syndrome (SS) Uveitis Scleroderma Scleroderma (all forms, not just systemic sclerosis) Systemic Lupus Erythematosus (SLE) Vasculitis & vasculitis sub types Type I diabetes (for Type I diabetes transplantation must be performed within approximately ~4-6 months following initial diagnosis) 		 Patients may be considered for treatment based upon individual health status, without regard to age (no specific age restriction). 	~
		• Patient must provide a recent Central Nervous System (CNS) MRI study less than three months old from scheduled treatment date. All patients require an MRI, not just MS patients, to rule-out a pre-existing cancerous malignancy prior to undergoing HSCT.	~
		 Patient has to be able to travel to and remain in Puebla, Mexico or Monterrey, Mexico during a 28-day period, accompanied by a caregiver. 	~
• Patients must be free of contraindicating health factors as determined by the clinic HSCT physician, and be deemed suitably healthy to safely tolerate the treatment.	~	 Immune Modulation or suppression medications must be discontinued at least three months prior to beginning the HSCT treatment process. 	~
• Patients with an Expanded Disability Status Scale (EDSS) up to 7.0 will be accepted for transplantation, pending all other acceptance factors. (If you do not know your EDSS please use the following website to self-evaluate:) edss.clinicspeak.com	~	• If a medical condition appears in the preliminary evaluations performed by our specialists that impedes the patient from receiving the transplant, the patient will be refunded. The only charges that will apply will be the ones consumed up to that point, such as, transportation, partial lodging and the evaluations performed.	~



MEDICAL RECORDS

• Two months prior to arrival patients will be instructed to provide MRI or CT scan reports according to the autoimmune disease to treat with HSCT.

• If you are instructed for MRI, you will have to provide a brain and full spinal report that is no older than 3 months from scheduled treatment date. MRI may be with or without contrast, both will suffice.

• If you are instructed for CT scan, you will have to provide a head, thorax and abdomen report that is no older than 3 months from scheduled treatment date.

• Upon arrival patients must bring the CD with the images, it is not necessary to send them prior to treatment. Imaging testing is required to rule out a pre-existing malignancy before undergoing HSCT.

• It is mandatory that all immunosuppressive or modulation drugs be stopped 3 months prior to your scheduled treatment date. Please contact your general physician to suspend them accordingly.



WIRE TRANSFER

• Complete wiring instructions will be provided via email once patient has a confirmed date. Payment receipt must be sent as soon as it is issued. Payment must be fully paid two months in advance.

• Once the payment has reached our account our accounting department will send a receipt via email. Invoice will be issued on the month of treatment and sent to your email.

FLIGHT DETAILS

• Patient must be ready for traveling and staying in Puebla or Monterrey, along with a carer for a 28 day period.

• Travel itinerary must be provided to arrange collection at airport.

REQUIR

ADDITIONAL DOCUMENTS

• In order for us to invoice the service provided by the clinic we need you to send us the following documents:

1. Proof of Residence: This may be a document provided by your local tax authority, a driver's license or other document containing your address.

2. Passport scan



• Patient must be accompanied 24 hours 7 days a week during treatment. If necessary, care giving services are now available on behalf of Clínica Ruiz. If you are interested please ask for complete information and costs via email. (This service is subject to availability).

- Patients can only bring one carer at a time.
- Patients should not be around children under 16 years of age during treatment.

COST The cost of the medical treatment and lodging during the procedure is \$57,500 US Dollars, which must be paid in full two months prior to confirmed date.

EMENTS

TREATMENT INCLUDES

PRE-TESTING TO DETERMINE PATIENT SUITABILITY FOR TRANSPLANTATION

- Chest X-ray, blood panel, electrocardiogram and spirometry.
- Consultation with neurologist, cardiologist and hematologist.
- Medical History

ROUTINE DRUGS USED DURING THE 26 DAY HSCT PROCEDURE IN THE APPROPRIATE PATIENT-SPECIFIC ADJUSTED DOSAGES

- Sulphamethoxazole / Trimethoprim Anti-Infective Prophylaxis
- Itraconazole Anti-Fungal Prophylaxis
- Cyclophosphamide
- Dexamethasone
- Pantoprazole
- Ondansetron
- Rituximab
- Filgrastim
- Acyclovir
- Mesna
- Aprepitant

APHERESIS STEM CELL COLLECTION

- Collection of Stem Cells (as many as required):
 - Mononuclear cell kit
 - Blood cell separator use
- Cells preservation & storage from collection until reinfusion.
- · Disposable materials.

HSCT ENGRAFTMENT RECOVERY

- Engraftment recovery monitoring, blood testing and regular follow ups by available hematologists.
- Medical staff consultation on-call 24/7 during the duration of the procedure.
- Final evaluation and check following engraftment recovery prior to patient departure.

HSCT CONDITIONING

- CD34+ stem cell mobilization (not including uncommon difficult mobilization cases requiring Plerixafor).
- Non-myeloablative conditioning (Cyclophosphamide + Rituximab).

BLOOD PRODUCT INFUSIONS (IF REQUIRED)

- Includes laboratory testing, application, disposable material and medical staff.
- Compatible blood components available as needed. No need of a donor.

HSCT TRANSPLANT

• Unmanipulated hematopoietic stem cell graft infusion managed & directed by our medical staff.


PICC LINE INSERTION (IF REQUIRED)

• Mahurkar catheter placement by a surgeon at Hospital if required or deemed necessary.

HOSPITALIZATION (IF REQUIRED)

• Less than 4% of patients require hospitalization, almost all the complications can be addressed as outpatient. Clinica Ruiz will cover costs up to \$3,000.00 USD associated with unplanned and/or unexpected necessary hospital visits that our medical staff deems necessary for any of our patients that are undergoing HSCT.

ACCOMMODATION PACKAGE



in the commodities.



* FACILITY SELECTION

Dates will be offered based on availability in each facility. Patients must consider the following information in order to properly select their facility:

• Patients can only bring one caregiver at a time to the Puebla Facility. If a patient wishes to be accompanied by two caregivers at a time it is mandatory to travel to Monterrey. Apartments in Puebla are not adequate to fit 3 people, while Monterrey may easily accommodate up to 4. This only applies for overnight stays, meaning if you hire a caregiver both facilities are eligible.

• Puebla offers meal services at the cafeteria within the apartment building, each apartment is only equipped with a mini fridge and microwave. Monterrey has a complete kitchen in each apartment and no cafeteria service, grocery cards are provided in order to purchase monthly meals. If a patient has a special diet such as vegetarian, celiac, vegan or others it is strongly recommended for them to go to Monterrey in order to adhere to their dietary restrictions.

POST-TREATMENT RECOMMENDATIONS

Upon discharge you will be provided with specific instructions on how to return to normal life. As insight of these instructions we include the following:

HSCT FOLLOW-UP

Upon discharge post transplant patients will be contacted in order to assess their status and monitor their progress. Regular follow-up emails will be sent every three months from the following address: followup@hsctmexico.com. We ask patients to check their email regularly and make sure it does not go to the spam folder. We appreciate your feedback.

TRAVELING

Unless it is for medical reasons it is recommended to avoid traveling for the first 6 months.

IMMUNIZATION PROGRAM

After treatment VACCINES are recommended, specific guidelines will be provided upon discharge.

PROPHYLACTIC MEDICATION MUST BE TAKEN FOR 6 MONTHS AS FOLLOW-UP INCLUDING:

Trimethoprim/sulfamethoxazole (TMP/SMX) 160/800 MG and Acyclovir 400 mg. Specific Dosages and prescriptions will be provided by our physicians, medication may be bought at the clinic or in your place of residence with the prescription we provide.

SURGERIES

Any type of surgery is not recommended unless it is strictly necessary. This is for a period of the first 6 months after the transplant.

NEUROLOGY FOLLOW-UP

We request patient's feedback regarding their EDSS score and overall health status post treatment. Our follow-up team will contact you via email. We appreciate your compliance.

RETURN TO WORK

Due to the variable recovery period of each patient we encourage you to resume your normal life as much as you can tolerate. If you feel that you need a short term disability, we can approve it for up to three months.

**Recommendations regarding exercise, pets, children, diet, hygiene and cleaning habits will be thoroughly explained at the end of treatment.